



900 MHz 12 dBi FLAT PANEL ANTENNA

The PA9-12 flat panel directional antenna by Laird Technologies offers high-gain in a thin, low-profile package. The antenna is constructed of an off white color UV resistant ASA plastic radome with an aluminum backplate. The antenna can be used in horizontal or vertical polarization. The heavy duty pole mount bracket allows up or down tilt adjustment and the stainless steel hardware assures a long service life. The antenna can be surface mounted or pole mounted. The PA9-12 comes with an integral N female connector standard.

FEATURES

- High gain / low profile
- Pole mount or surface mount
- Rugged IP67 rated weatherproof construction
- Vertical or horizontal polarization

MARKETS

- 900 MHz wireless LAN applications
- WISP client antennas
- RFID applications
- OEM wireless data
- Transport terminals
- WiMAX

PARAMETER	SPECIFICATION
Part Number	PA9-12
Frequency	902-928 MHz
Gain	12 dBi
3 dB Beamwidth-Azimuth	40°
3 dB Beamwidth-Elevation	55°
Polarization	Linear Vertical
VSWR	1.5:1
RF Connector	Type N (f)
Power Rating	10 W
Dimensions	16.2 x 14.7 x 1.4 in (411 x 373 x 36 mm)
Weight	1.36 kg
Operational Temperature	-30°C to +70°C
Mount Style	Surface / Mast
Pole Size	1 to 2.5 in (25 to 64 mm)
RoHS	Compliant

global solutions: local support.™


Americas: +1.847.839.6907
IAS-AmericasEastSales@lairdtech.com

Europe: +1.32.80.7866.12
IAS-EUSales@lairdtech.com


Asia: +1.65.6.243.8022
IAS-AsiaSales@lairdtech.com

www.lairdtech.com

HORIZONTAL PLANE




ELEVATION PLANE



902 MHz

915 MHz

928 MHz



ANT-DS-PA9-12 0912

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user. Laird Technologies makes no warranties as to the fitness, merchantability, suitability or non-infringement of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2012 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trademarks or registered trademarks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.